

LabelWorks LW-Z710



Quickly and easily create accurate labels on the go with this compact, portable and rugged label maker

Designed for those working in challenging 'non-office' environments where the user needs to quickly, accurately and cost-effectively create labels on the spot, from a rugged, compact, handheld device. The LW-Z710 boasts an intuitive interface and configures seamlessly across different users, platforms and devices.

Smartphone and tablet label maker

With its flexible connectivity options, you can either print from your computer, or download the free Epson iLabel app² to create and print labels directly from your iOS or Android device. Thanks to its Bluetooth connectivity¹, you can connect remotely anywhere without the need for a network and share the label maker with multiple users.

Easy-to-use

The user can create labels on the spot - quickly, affordably and accurately. These can easily be applied to electrical, communication cables and equipment (e.g. within server rooms, patch panels).

Fast, quality printing

Featuring 180dpi print quality, labels are crisp and clear. The LW-Z710P also offers print speeds of up to 15mm/sec.

Compact and portable

It's lightweight, easy to carry and the strong and durable design is protected by a rugged, soft silicon casing.

Battery and mains powered

It comes with a handy AC adapter or can be used with six AA batteries, so you'll always have power when you need it.

DATASHEET / BROCHURE



KEY FEATURES

- **Bluetooth compatible¹**
Multiple users can print
- **Productive**
Fast print speeds of up to 15mm/sec
- **Variety of label and widths**
Glow-in-the-dark, reflective and iron on tapes. Prints label widths of up to 24mm
- **Small footprint**
Lightweight and easy to carry
- **Value-for-money**
Less wastage thanks to long tapes (up to 9m and small 10mm margins)

PRODUCT SPECIFICATIONS

PRINTING

| | |
|---------------------------|---------------------------------------|
| Printing technology | Thermal transfer |
| Tape width | 4 mm, 6 mm, 9 mm, 12 mm, 18 mm, 24 mm |
| Printing resolution | 180 DPI |
| Printable Dot Numbers | 128 dot numbers |
| Print height | 18 mm |
| Print speed | 15 mm/sec |
| Number of printable lines | custom |
| Maximum text length | custom |
| Multi-block | custom |

PRINT SETTINGS

| | |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Special formats | General, Punch Block, Patch Panel, Block-66, Wrap, Flag, Face Plate, Mix-Length |
| Auto increment | Yes, 0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time |
| Enlargement printing | No |
| Mirror printing | Yes |
| Vertical printing | Yes |
| Barcodes | Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E |
| Margin setting - Label Editor | 1mm, Manual |
| Fixed Length | Yes |
| Setting Area | Custom |

FONTS & STYLES

| | |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fonts | Depending on user's PC |
| Font Size | custom |
| Frames | 86 Frames |
| Tables | 8 Tables |
| Style | Bold, Bold & Italic, Bold & Italic & Outline, Bold & Italic & Shadow, Bold & Outline, Bold & Shadow, Double line strikethrough, Italic, Italic & Outline, Italic & Shadow, Normal, Outline, Reverse video, Shadow, Shadow & Outline, Shadow & Outline & Italic, Strikethrough, Underline |
| Layout Alignment | Left, Right, Center, Manual, Justified |
| Character spacing | custom |
| Character width | custom |

MEMORY

| | |
|----------------------------|--------------------------------------------------|
| Memory alphanumeric | Depending on user's PC |
| Memory accent | Depending on user's PC |
| Accent learning | Yes |
| Symbols | 466 |
| Memory file (saved labels) | Depending on user's PC / 800 templates available |
| Last label | View history, Browse |

HARDWARE

| | |
|-------------|------------------------|
| Cutter | Auto |
| Detection | Cover open, Tape width |
| Strap hole | Yes |
| Power lamp | Yes |
| Feed button | Yes |

LabelWorks LW-Z710

WHAT'S IN THE BOX

- Installation/safety manual
- Main unit
- USB cable
- Warranty Documents
- 1 x 4m Tape
- Carrying Case
- Quick Setup Guide
- Quick Start Guide
- UK AC cable
- AC adapter
- EURO AC cable

PRODUCT SPECIFICATIONS

GENERAL

| | |
|-----------------------|-------------------------------------------------------------|
| Energy Use | 12 Watt (Printing), 0.8 Watt (Ready), 0.21 Watt (Power off) |
| AC adapter | Yes |
| Batteries | 6 x AA, Not included |
| Low battery indicator | Yes |
| Product dimensions | 54 x 132 x 146 mm (Width x Depth x Height) |
| Product weight | 440 g |
| Colour | Black, Red |

CONNECTIVITY

| | |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Interfaces | USB 1.1 Type B, Bluetooth |
| Compatible Operating Systems | Android 2.3+, Mac OS 10.6+, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows Vista, Windows Vista x64, Windows XP, iOS 5.0+, iOS 6.0+ |
| System requirements | Approx. 100 MB HDD space |
| PC Display requirements | XGA (1024 x 768) or higher |
| Included Software | Epson Label Editor |

OTHER

| | |
|----------|-------------------------------------------------------------|
| Warranty | 36 months Carry in Optional warranty extension available |
|----------|-------------------------------------------------------------|

LabelWorks LW-Z710

WHAT'S IN THE BOX

- Installation/safety manual
- Main unit
- USB cable
- Warranty Documents
- 1 x 4m Tape
- Carrying Case
- Quick Setup Guide
- Quick Start Guide
- UK AC cable
- AC adapter
- EURO AC cable

SUPPORTED CONSUMABLES

LabelWorks LW-Z710

| Tape Width | Tape Series | Tape & Text (Ink Ribbon) Colour | Customer Code |
|------------|---------------------------------------|---------------------------------|---------------|
| 4 mm | Standard | Abc 123 | LK-1WBN |
| 6 mm | Transparent | Abc 123 | LK-2TBN |
| 6 mm | Standard | Abc 123 | LK-2WBN |
| 6 mm | Pastel color | Abc 123 | LK-2YBP |
| 9 mm | Pastel color | Abc 123 | LK-3YBP |
| 9 mm | Pastel color | Abc 123 | LK-3RBP |
| 9 mm | Transparent | Abc 123 | LK-3TBN |
| 9 mm | Strong adhesive | Abc 123 | LK-3YBW |
| 9 mm | Strong adhesive | Abc 123 | LK-3TBW |
| 9 mm | Strong adhesive | Abc 123 | LK-3WBW |
| 9 mm | Standard | Abc 123 | LK-3WRN |
| 9 mm | Standard | Abc 123 | LK-3WBN |
| 12 mm | Standard | Abc 123 | LK-4WLN |
| 12 mm | Ribbon Tape | Abc 123 | LK-4RKK |
| 12 mm | Matte paper | Abc 123 | LK-4WBB |
| 12 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4WBA5 |
| 12 mm | Fluorescent | Abc 123 | LK-4GBF |
| 12 mm | Metallic color | Abc 123 | LK-4SBM |
| 12 mm | Strong adhesive | Abc 123 | LK-4WBW |
| 12 mm | Matte | Abc 123 | LK-4SBE |
| 12 mm | Strong adhesive | Abc 123 | LK-4YBW |
| 12 mm | Strong adhesive | Abc 123 | LK-4TBW |
| 12 mm | Transparent | Abc 123 | LK-4TBN |
| 12 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4YBA3 |
| 12 mm | Fluorescent | Abc 123 | LK-4YBF |
| 12 mm | Standard | Abc 123 | LK-4WRN |
| 12 mm | Vivid | Abc 123 | LK-4BWW |
| 12 mm | Pastel color | Abc 123 | LK-4YBP |
| 12 mm | Pastel color | Abc 123 | LK-4RBP |
| 12 mm | Standard | Abc 123 | LK-4WBN |
| 12 mm | Transparent | Abc 123 | LK-4TWN |
| 12 mm | Vinyl Label Tape | Abc 123 | LK-4YBVN |
| 12 mm | Iron-on | Abc 123 | LK-4WBQ |
| 12 mm | Vinyl Label Tape | Abc 123 | LK-4WBVN |
| 12 mm | Ribbon Tape | Abc 123 | LK-4LBK |
| 12 mm | Ribbon Tape | Abc 123 | LK-4HKK |
| 12 mm | Heat Resistant | Abc 123 | LK-4WBH |
| 12 mm | Ribbon Tape | Abc 123 | LK-4PBK |
| 12 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4WBA3 |
| 12 mm | Ribbon Tape | Abc 123 | LK-4KBK |
| 12 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4YBA5 |
| 18 mm | Vivid | Abc 123 | LK-5BWW |
| 18 mm | Matte | Abc 123 | LK-5SBE |
| 18 mm | Strong adhesive | Abc 123 | LK-5WBW |
| 18 mm | Transparent | Abc 123 | LK-5TBN |
| 18 mm | Standard | Abc 123 | LK-5WRN |
| 18 mm | Fluorescent | Abc 123 | LK-5GBF |
| 18 mm | Pastel color | Abc 123 | LK-5YBP |
| 18 mm | Pastel color | Abc 123 | LK-5RBP |
| 18 mm | Transparent | Abc 123 | LK-5TWN |
| 18 mm | Strong adhesive | Abc 123 | LK-5YBW |
| 18 mm | Vinyl Label Tape | Abc 123 | LK-5YBVN |
| 18 mm | Vinyl Label Tape | Abc 123 | LK-5WBVN |
| 18 mm | Standard | Abc 123 | LK-5WBN |
| 24 mm | Vinyl Label Tape | Abc 123 | LK-6WBVN |
| 24 mm | Self-Laminating Cable Wrap Label Tape | Abc 123 | LK-6WBVS |
| 24 mm | Pastel color | Abc 123 | LK-6RBP |
| 24 mm | Vinyl Label Tape | Abc 123 | LK-6YBVN |
| 24 mm | Standard | Abc 123 | LK-6WBN |
| 24 mm | Pastel color | Abc 123 | LK-6YBP |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6YBA14 |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6YBA11 |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6WBA14 |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6WBA11 |
| 24 mm | Matte | Abc 123 | LK-6SBE |

LOGISTICS INFORMATION

| | |
|--------------------------|--------------------|
| SKU | C51CD69130 |
| EAN code | 8715946655796 |
| Dimensions Single Carton | 450 x 290 x 255 mm |
| Carton Weight | 8.24 Kg |
| Multiple Order Quantity | 5 Units |
| Country of Origin | Philippines |
| Layer | 30 Units |

LabelWorks LW-Z710

* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Bluetooth connectivity only works with Android and iOS devices

2.

3. Download the Epson iLabel app from the Apple App Store and Google Play.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

